



**Centrum stavebního inženýrství a.s. Praha**  
**Centre of Building Construction Engineering Prague**  
Akreditované zkušební laboratoře, Autorizovaná osoba,  
Oznámený subjekt, Certifikační orgán  
Accredited Test Laboratories, Authorised Body,  
Notified Body, Certification Body  
Pražská 16, 102 00 Praha 10



## CERTIFICATE OF CONSTANCY OF PERFORMANCE

1390 – CPR – 0004/04/P

In compliance with the Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

*Factory made mineral wool product ROTAFLEX Super used for thermal insulation of buildings, sold under the trade mark*

Trade mark	Thermal conductivity W/mK	Reaction to fire	Type code according to EN 13 162
TSPS	0,032	A2-s1,d0	MW-EN 13162 T6-DS(70,-)-CP3
610	0,032	A2-s1,d0	MW-EN 13162 T6-DS(70,-)-CP3
TSPT	0,032	A2-s1,d0	MW-EN 13162- T7-DS(70,-)-CP2

Methods of measurement and product description are listed in the ITT-report No. 1390-CPD-0004/04/P from 25. 05. 2004

placed on the market by : **UNION LESNÍ BRÁNA, a.s.** IČO: 14864606  
Novosedlická 248, Pozorka  
417 03 Dubí, ČR

and produced in the factory : **UNION LESNÍ BRÁNA, a.s.**  
Novosedlická 248, Pozorka  
417 03 Dubí, ČR

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard


### EN 13 162:2012

under system 1 are applied and that the product fulfills all the prescribed requirements set out above.

This certificate was first issued on 25. 05. 2004 as Certificate pursuant to CPD and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Notified Body 1390  
Prague, 02. 09. 2013



  
Ing. Petr Kučera, Ph.D.  
Deputy of Notified Body 1390