



UNION LESNÍ BRÁNA, a.s.
Novosedlická 248, Pozorka; 417 03 Dubí
infolinka: +420 417 800 111, fax: +420 417 570 048
spisová značka OR: B 56, KS Ústí nad Labem
internet: www.rotaflex.cz

DECLARATION OF PERFORMANCE

According to Regulation (EU) No 305/2011 and Regulation (EU) No 574/2014 of the European Parliament and of the Council

No: 3192

Variant: en

1. Unique identification code of the product-type: **ADP 01**

2. Intended use/se:

thermal insulation of buildings with glassvlies

3. Manufacturer:

**UNION LESNÍ BRÁNA, a.
Novosedlická 248, Pozorka
417 03 Dubí
Česká republika**

4. Authorised representative: **is not relevant**

5. Systém/s: **System 1**

6. a: Harmonised standard: **EN 13 162:2012 + A1:2015**

Notified Body:

**Centrum stavebního inženýrství a.s. Praha
Pražská 16
102 201 Praha 10
Nr. 1390**

6b: European Assessment Document/European Technical Assessment/Technical Assessment Body/Notified body/ies:

**initial type test
initial inspection of the manufacturing plant
continuous surveillance, assessment and evaluation of FPC
certificat Nr. 1390 – CPR – 0231/09/P**

7. Declared performance/s:

| <i>Essentials characteristics</i> | <i>Declared performance</i> | <i>Harmonised standard</i> |
|--|-----------------------------|----------------------------|
| 4.2.8 Reaction to fire | Euroclass A1 | ČSN EN 13 162:2012+A1:2015 |
| 4.3.7 Water absorption | NPD | ČSN EN 13 162:2012+A1:2015 |
| 4.3.13 Release of dangerous substances | NPD | ČSN EN 13 162:2012+A1:2015 |



UNION LESNÍ BRÁNA, a.s.
 Novosedlická 248, Pozorka; 417 03 Dubí
 infolinka: +420 417 800 111, fax: +420 417 570 048
 spisová značka OR: B 56, KS Ústí nad Labem
 internet: www.rotaflex.cz

| | | |
|--|--|----------------------------|
| 4.3.12 Air flow resistance | NPD | ČSN EN 13 162:2012+A1:2015 |
| 4.3.11 Sound absorption | NPD | ČSN EN 13 162:2012+A1:2015 |
| 4.3.9 Dynamic stiffness | NPD | ČSN EN 13 162:2012+A1:2015 |
| 4.3.10.1 Thickness, d_L | NPD | ČSN EN 13 162:2012+A1:2015 |
| 4.3.10.3 Compressibility | NPD | ČSN EN 13 162:2012+A1:2015 |
| 4.2.1 Thermal conductivity | 0,035 W/m.K | ČSN EN 13 162:2012+A1:2015 |
| 4.2.3 Thickness | Level T3 | ČSN EN 13 162:2012+A1:2015 |
| 4.3.8 Water vapour transmission | Level MU1 | ČSN EN 13 162:2012+A1:2015 |
| 4.3.3 Compressive stress or compressive strength | NPD | ČSN EN 13 162:2012+A1:2015 |
| 4.3.5 Point load | NPD | ČSN EN 13 162:2012+A1:2015 |
| 4.2.7 Tensile strength parallel to faces | Conforms to requirements of the standard | ČSN EN 13 162:2012+A1:2015 |
| 4.3.4 Tensile strength perpendicular to faces | NPD | ČSN EN 13 162:2012+A1:2015 |
| 4.2.6 Dimensional stability | NPD | ČSN EN 13 162:2012+A1:2015 |
| 4.3.2.1 Dimensional stability at specified temperature | Conforms to requirements of the standard | ČSN EN 13 162:2012+A1:2015 |
| 4.3.6 Compressive creep | NPD | ČSN EN 13 162:2012+A1:2015 |

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Dubí, 19.3.2024

UNION LESNÍ BRÁNA, a.s.
 Novosedlická 248, Pozorka
 417 03 DUBÍ

Ing. Kamila Jůzlova
 Quality manager